

2013 MONTANA YOUTH RISK BEHAVIOR SURVEY

MIDDLE SCHOOL STUDENT FREQUENCY DISTRIBUTIONS FOR AMERICAN INDIAN STUDENTS IN URBAN SCHOOL

The following frequency distributions are based upon surveys with 918 middle school American Indian students in urban schools in Montana during February 2013. Frequency distributions may not total 918 due to nonresponses and percents may not total 100 percent due to rounding.

Question	Responses	Count	Percent
Q -1 How old are you?			
A.	10 years old or younger	1	0.11%
B.	11 years old	3	0.33%
C.	12 years old	158	17.29%
D.	13 years old	438	47.92%
E.	14 years old	289	31.62%
F.	15 years old	22	2.41%
G.	16 years old or older	3	0.33%
	TOTALS	914	100.00%
Q -2 What is your sex?			
A.	Female	449	49.23%
B.	Male	463	50.77%
	TOTALS	912	100.00%
Q -3 In what grade are you?			
A.	7th grade	452	50.11%
B.	8th grade	450	49.89%
	TOTALS	902	100.00%
Q -4 Are you Hispanic or Latino?			
A.	Yes	157	17.68%
B.	No	731	82.32%
	TOTALS	888	100.00%
Q -5 What is your race?			
A.	American Indian or Alaskan Native	918	67.70%
B.	Asian	29	2.14%
C.	Black or African American	40	2.95%
D.	Native Hawaiian or Other Pacific Islander	32	2.36%
E.	White	337	24.85%
	TOTALS	1,356	147.71%

2013 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -6 When you rode a bicycle during the past 12 months, how often did you wear a helmet?

A.	I did not ride a bicycle during the past 12 months	148	16.19%
B.	Never wore a helmet	539	58.97%
C.	Rarely wore a helmet	82	8.97%
D.	Sometimes wore a helmet	47	5.14%
E.	Most of the time wore a helmet	52	5.69%
F.	Always wore a helmet	46	5.03%
	TOTALS	914	100.00%

Q -7 How often do you wear your seat belt when riding in a car driven by someone else?

A.	Never	28	3.10%
B.	Rarely	70	7.75%
C.	Sometimes	119	13.18%
D.	Most of the time	269	29.79%
E.	Always	417	46.18%
	TOTALS	903	100.00%

Q -8 How often do you wear a seat belt when driving a car?

A.	I do not drive a car	570	64.63%
B.	Never	29	3.29%
C.	Rarely	29	3.29%
D.	Sometimes	28	3.17%
E.	Most of the time	71	8.05%
F.	Always	155	17.57%
	TOTALS	882	100.00%

Q -9 During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?

A.	0 times	694	76.60%
B.	1 time	71	7.84%
C.	2 or 3 times	63	6.95%
D.	4 or 5 times	13	1.43%
E.	6 or more times	65	7.17%
	TOTALS	906	100.00%

Q -10 During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?

A.	0 days	649	71.40%
B.	1 day	54	5.94%
C.	2 or 3 days	88	9.68%
D.	4 or 5 days	30	3.30%
E.	6 or more days	88	9.68%
	TOTALS	909	100.00%

2013 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -11 During the past 30 days, on how many days did you carry a gun?

A.	0 days	783	86.14%
B.	1 day	45	4.95%
C.	2 or 3 days	45	4.95%
D.	4 or 5 days	8	0.88%
E.	6 or more days	28	3.08%
TOTALS		909	100.00%

Q -12 During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?

A.	0 days	854	93.74%
B.	1 day	20	2.20%
C.	2 or 3 days	13	1.43%
D.	4 or 5 days	3	0.33%
E.	6 or more days	21	2.31%
TOTALS		911	100.00%

Q -13 During the past 12 months, how many times has someone stolen or deliberately damaged your property such as your car, clothing, or books on school property?

A.	0 times	606	66.37%
B.	1 time	139	15.22%
C.	2 or 3 times	91	9.97%
D.	4 or 5 times	27	2.96%
E.	6 or 7 times	13	1.42%
F.	8 or 9 times	3	0.33%
G.	10 or 11 times	3	0.33%
H.	12 or more times	31	3.40%
TOTALS		913	100.00%

Q -14 During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?

A.	0 days	786	87.14%
B.	1 day	57	6.32%
C.	2 or 3 days	26	2.88%
D.	4 or 5 days	8	0.89%
E.	6 or more days	25	2.77%
TOTALS		902	100.00%

2013 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -15 During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?

A.	0 times	813	88.85%
B.	1 time	48	5.25%
C.	2 or 3 times	27	2.95%
D.	4 or 5 times	6	0.66%
E.	6 or 7 times	6	0.66%
F.	8 or 9 times	2	0.22%
G.	10 or 11 times	2	0.22%
H.	12 or more times	11	1.20%
TOTALS		915	100.00%

Q -16 During the past 12 months, how many times were you in a physical fight?

A.	0 times	511	56.03%
B.	1 time	172	18.86%
C.	2 or 3 times	129	14.14%
D.	4 or 5 times	40	4.39%
E.	6 or 7 times	11	1.21%
F.	8 or 9 times	13	1.43%
G.	10 or 11 times	3	0.33%
H.	12 or more times	33	3.62%
TOTALS		912	100.00%

Q -17 During the past 12 months, how many times were you in a physical fight in which you were injured and had to be treated by a doctor or nurse?

A.	0 times	855	94.89%
B.	1 time	32	3.55%
C.	2 or 3 times	5	0.55%
D.	4 or 5 times	0	0.00%
E.	6 or more times	9	1.00%
TOTALS		901	100.00%

Q -18 During the past 12 months, how many times were you in a physical fight on school property?

A.	0 times	724	79.21%
B.	1 time	109	11.93%
C.	2 or 3 times	53	5.80%
D.	4 or 5 times	13	1.42%
E.	6 or 7 times	4	0.44%
F.	8 or 9 times	2	0.22%
G.	10 or 11 times	1	0.11%
H.	12 or more times	8	0.88%
TOTALS		914	100.00%

2013 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -19 Have you ever been physically forced to have sexual intercourse when you did not want to?

A.	Yes	77	8.46%
B.	No	833	91.54%
TOTALS		910	100.00%

Q -20 During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose? (Count such things as being hit, slammed into something, or injured with an object or weapon.)

A.	I did not date or go out with anyone during the past 12 months	307	33.81%
B.	0 times	546	60.13%
C.	1 time	28	3.08%
D.	2 or 3 times	15	1.65%
E.	4 or 5 times	1	0.11%
F.	6 or more times	11	1.21%
TOTALS		908	100.00%

Q -21 During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)

A.	I did not date or go out with anyone during the past 12 months	303	33.26%
B.	0 times	522	57.30%
C.	1 time	48	5.27%
D.	2 or 3 times	22	2.41%
E.	4 or 5 times	3	0.33%
F.	6 or more times	13	1.43%
TOTALS		911	100.00%

Q -22 During the past 12 months, have you ever been bullied on school property?

A.	Yes	372	40.70%
B.	No	542	59.30%
TOTALS		914	100.00%

Q -23 During the past 12 months, have you ever been electronically bullied? (Include being bullied through e-mail, chat rooms, instant messaging, websites, or texting.)

A.	Yes	210	23.03%
B.	No	702	76.97%
TOTALS		912	100.00%

Q -24 During the past 12 months, have you ever been the victim of teasing, name calling or bullying because someone thought you were gay, lesbian, or bisexual?

A.	Yes	204	22.37%
B.	No	708	77.63%
TOTALS		912	100.00%

Q -25 Have you ever been choked by someone or tried to choke yourself on purpose, such as with a belt, towel, or rope, for the feeling or experience it caused? (This is also called the Choking Game, Knock Out, Space Monkey, Flatlining, or the Fainting Game.)

A.	Yes	139	15.22%
B.	No	774	84.78%
TOTALS		913	100.00%

2013 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -26 During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?

A.	Yes	304	33.67%
B.	No	599	66.33%
	TOTALS	903	100.00%

Q -27 During the past 12 months, did you ever seriously consider attempting suicide?

A.	Yes	180	19.87%
B.	No	726	80.13%
	TOTALS	906	100.00%

Q -28 During the past 12 months, did you make a plan about how you would attempt suicide?

A.	Yes	151	16.67%
B.	No	755	83.33%
	TOTALS	906	100.00%

Q -29 During the past 12 months, how many times did you actually attempt suicide?

A.	0 times	751	83.63%
B.	1 time	92	10.24%
C.	2 or 3 times	34	3.79%
D.	4 or 5 times	9	1.00%
E.	6 or more times	12	1.34%
	TOTALS	898	100.00%

Q -30 If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?

A.	I did not attempt suicide	716	78.77%
B.	Yes	55	6.05%
C.	No	138	15.18%
	TOTALS	909	100.00%

Q -31 Have you ever tried cigarette smoking, even one or two puffs?

A.	Yes	283	31.27%
B.	No	622	68.73%
	TOTALS	905	100.00%

Q -32 How old were you when you smoked a whole cigarette for the first time?

A.	I have never smoked a whole cigarette	692	76.72%
B.	8 years old or younger	43	4.77%
C.	9 or 10 years old	52	5.76%
D.	11 or 12 years old	62	6.87%
E.	13 or 14 years old	52	5.76%
F.	15 or 16 years old	1	0.11%
	TOTALS	902	100.00%

2013 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -33 During the past 30 days, on how many days did you smoke cigarettes?

A.	0 days	797	87.39%
B.	1 or 2 days	55	6.03%
C.	3 to 5 days	13	1.43%
D.	6 to 9 days	14	1.54%
E.	10 to 19 days	9	0.99%
F.	20 to 29 days	6	0.66%
G.	All 30 days	18	1.97%
TOTALS		912	100.00%

Q -34 During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?

A.	I did not smoke cigarettes during the past 30 days	806	88.57%
B.	Less than 1 cigarette per day	32	3.52%
C.	1 cigarette per day	31	3.41%
D.	2 to 5 cigarettes per day	28	3.08%
E.	6 to 10 cigarettes per day	5	0.55%
F.	11 to 20 cigarettes per day	3	0.33%
G.	More than 20 cigarettes per day	5	0.55%
TOTALS		910	100.00%

Q -35 During the past 30 days, how did you usually get your own cigarettes? (Select only one response.)

A.	I did not smoke cigarettes during the past 30 days	789	88.06%
B.	I bought them in a store such as a convenience store, supermarket, discount store, or gas station	5	0.56%
C.	I bought them from a vending machine	1	0.11%
D.	I gave someone else money to buy them for me	11	1.23%
E.	I borrowed (or bummed) them from someone else	29	3.24%
F.	A person 18 years old or older gave them to me	7	0.78%
G.	I took them from a store or family member	18	2.01%
H.	I got them some other way	36	4.02%
TOTALS		896	100.00%

Q -36 During the past 30 days, on how many days did you smoke cigarettes on school property?

A.	0 days	872	96.25%
B.	1 or 2 days	20	2.21%
C.	3 to 5 days	1	0.11%
D.	6 to 9 days	5	0.55%
E.	10 to 19 days	2	0.22%
F.	20 to 29 days	1	0.11%
G.	All 30 days	5	0.55%
TOTALS		906	100.00%

2013 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -37 Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days?

A.	Yes	80	8.89%
B.	No	820	91.11%
TOTALS		900	100.00%

Q -38 During the past 12 months, did you ever try to quit smoking cigarettes?

A.	I did not smoke during the past 12 months	756	83.72%
B.	Yes	99	10.96%
C.	No	48	5.32%
TOTALS		903	100.00%

Q -39 During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?

A.	0 days	855	93.75%
B.	1 or 2 days	33	3.62%
C.	3 to 5 days	7	0.77%
D.	6 to 9 days	5	0.55%
E.	10 to 19 days	2	0.22%
F.	20 to 29 days	2	0.22%
G.	All 30 days	8	0.88%
TOTALS		912	100.00%

Q -40 During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip on school property?

A.	0 days	876	96.37%
B.	1 or 2 days	17	1.87%
C.	3 to 5 days	7	0.77%
D.	6 to 9 days	1	0.11%
E.	10 to 19 days	2	0.22%
F.	20 to 29 days	0	0.00%
G.	All 30 days	6	0.66%
TOTALS		909	100.00%

Q -41 During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?

A.	0 days	855	95.21%
B.	1 or 2 days	27	3.01%
C.	3 to 5 days	4	0.45%
D.	6 to 9 days	2	0.22%
E.	10 to 19 days	4	0.45%
F.	20 to 29 days	1	0.11%
G.	All 30 days	5	0.56%
TOTALS		898	100.00%

2013 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -42 During your life, on how many days have you had at least one drink of alcohol?

A.	0 days	498	55.09%
B.	1 or 2 days	184	20.35%
C.	3 to 9 days	94	10.40%
D.	10 to 19 days	46	5.09%
E.	20 to 39 days	38	4.20%
F.	40 to 99 days	25	2.77%
G.	100 or more days	19	2.10%
TOTALS		904	100.00%

Q -43 How old were you when you had your first drink of alcohol other than a few sips?

A.	I have never had a drink of alcohol other than a few sips	533	59.55%
B.	8 years old or younger	96	10.73%
C.	9 or 10 years old	69	7.71%
D.	11 or 12 years old	123	13.74%
E.	13 or 14 years old	72	8.04%
F.	15 or 16 years old	2	0.22%
TOTALS		895	100.00%

Q -44 During the past 30 days, on how many days did you have at least one drink of alcohol?

A.	0 days	722	80.49%
B.	1 or 2 days	107	11.93%
C.	3 to 5 days	33	3.68%
D.	6 to 9 days	16	1.78%
E.	10 to 19 days	10	1.11%
F.	20 to 29 days	5	0.56%
G.	All 30 days	4	0.45%
TOTALS		897	100.00%

Q -45 During the past 30 days, on how many days did you have at least one drink of alcohol on school property?

A.	0 days	881	97.03%
B.	1 or 2 days	19	2.09%
C.	3 to 5 days	5	0.55%
D.	6 to 9 days	1	0.11%
E.	10 to 19 days	0	0.00%
F.	20 to 29 days	0	0.00%
G.	All 30 days	2	0.22%
TOTALS		908	100.00%

2013 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -46 During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?

A.	0 days	806	88.96%
B.	1 day	41	4.53%
C.	2 days	23	2.54%
D.	3 to 5 days	20	2.21%
E.	6 to 9 days	7	0.77%
F.	10 to 19 days	3	0.33%
G.	20 or more days	6	0.66%
TOTALS		906	100.00%

Q -47 During the past 30 days, how did you usually get the alcohol you drank?

A.	I did not drink alcohol during the past 30 days	704	79.28%
B.	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	3	0.34%
C.	I bought it at a restaurant, bar, or club	1	0.11%
D.	I bought it at a public event such as a concert or sporting event	0	0.00%
E.	I gave someone else money to buy it for me	27	3.04%
F.	Someone gave it to me	51	5.74%
G.	I took it from a store or family member	34	3.83%
H.	I got it some other way	68	7.66%
TOTALS		888	100.00%

Q -48 During your life, how many times have you used marijuana?

A.	0 times	699	77.58%
B.	1 or 2 times	55	6.10%
C.	3 to 9 times	33	3.66%
D.	10 to 19 times	20	2.22%
E.	20 to 39 times	18	2.00%
F.	40 to 99 times	23	2.55%
G.	100 or more times	53	5.88%
TOTALS		901	100.00%

Q -49 How old were you when you tried marijuana for the first time?

A.	I have never tried marijuana	695	76.80%
B.	8 years old or younger	32	3.54%
C.	9 or 10 years old	37	4.09%
D.	11 or 12 years old	83	9.17%
E.	13 or 14 years old	56	6.19%
F.	15 or 16 years old	2	0.22%
TOTALS		905	100.00%

2013 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -50 During the past 30 days, how many times did you use marijuana?

A.	0 times	768	86.58%
B.	1 or 2 times	33	3.72%
C.	3 to 9 times	29	3.27%
D.	10 to 19 times	34	3.83%
E.	20 to 39 times	8	0.90%
F.	40 or more times	15	1.69%
TOTALS		887	100.00%

Q -51 During the past 30 days, how many times did you use marijuana on school property?

A.	0 times	877	96.69%
B.	1 or 2 times	16	1.76%
C.	3 to 9 times	7	0.77%
D.	10 to 19 times	4	0.44%
E.	20 to 39 times	2	0.22%
F.	40 or more times	1	0.11%
TOTALS		907	100.00%

Q -52 During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?

A.	0 times	854	95.10%
B.	1 or 2 times	25	2.78%
C.	3 to 9 times	8	0.89%
D.	10 to 19 times	4	0.45%
E.	20 to 39 times	1	0.11%
F.	40 or more times	6	0.67%
TOTALS		898	100.00%

Q -53 During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?

A.	0 times	764	85.94%
B.	1 or 2 times	59	6.64%
C.	3 to 9 times	39	4.39%
D.	10 to 19 times	8	0.90%
E.	20 to 39 times	4	0.45%
F.	40 or more times	15	1.69%
TOTALS		889	100.00%

2013 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -54 During the past 30 days, how many times did you sniff glue, breathe the contents of aerosol spray cans, or inhale any paints or sprays to get high?

A.	0 times	835	92.37%
B.	1 or 2 times	44	4.87%
C.	3 to 9 times	10	1.11%
D.	10 to 19 times	6	0.66%
E.	20 to 39 times	3	0.33%
F.	40 or more times	6	0.66%
TOTALS		904	100.00%

Q -55 During your life, how many times have you used heroin (also called smack, junk, or China White)?

A.	0 times	882	97.89%
B.	1 or 2 times	8	0.89%
C.	3 to 9 times	5	0.55%
D.	10 to 19 times	1	0.11%
E.	20 to 39 times	2	0.22%
F.	40 or more times	3	0.33%
TOTALS		901	100.00%

Q -56 During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?

A.	0 times	872	97.10%
B.	1 or 2 times	10	1.11%
C.	3 to 9 times	5	0.56%
D.	10 to 19 times	4	0.45%
E.	20 to 39 times	2	0.22%
F.	40 or more times	5	0.56%
TOTALS		898	100.00%

Q -57 During your life, how many times have you used ecstasy (also called MDMA)?

A.	0 times	867	95.80%
B.	1 or 2 times	22	2.43%
C.	3 to 9 times	7	0.77%
D.	10 to 19 times	4	0.44%
E.	20 to 39 times	1	0.11%
F.	40 or more times	4	0.44%
TOTALS		905	100.00%

2013 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -58 During your life, how many times have you taken steroid pills or shots without a doctor's prescription?

A.	0 times	871	96.56%
B.	1 or 2 times	18	2.00%
C.	3 to 9 times	5	0.55%
D.	10 to 19 times	1	0.11%
E.	20 to 39 times	0	0.00%
F.	40 or more times	7	0.78%
TOTALS		902	100.00%

Q -59 During your life, how many times have you taken a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?

A.	0 times	830	92.43%
B.	1 or 2 times	30	3.34%
C.	3 to 9 times	11	1.22%
D.	10 to 19 times	11	1.22%
E.	20 to 39 times	4	0.45%
F.	40 or more times	12	1.34%
TOTALS		898	100.00%

Q -60 During your life, how many times have you used a needle to inject any illegal drug into your body?

A.	0 times	876	98.32%
B.	1 time	15	1.68%
C.	2 or more times	0	0.00%
TOTALS		891	100.00%

Q -61 During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?

A.	Yes	151	16.85%
B.	No	745	83.15%
TOTALS		896	100.00%

Q -62 Have you ever had sexual intercourse?

A.	Yes	185	20.88%
B.	No	701	79.12%
TOTALS		886	100.00%

Q -63 How old were you when you had sexual intercourse for the first time?

A.	I have never had sexual intercourse	723	80.51%
B.	11 years old or younger	56	6.24%
C.	12 years old	40	4.45%
D.	13 years old	54	6.01%
E.	14 years old	24	2.67%
F.	15 years old	0	0.00%
G.	16 years old	1	0.11%
TOTALS		898	100.00%

2013 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -64 During your life, with how many people have you had sexual intercourse?

A.	I have never had sexual intercourse	724	80.71%
B.	1 person	79	8.81%
C.	2 people	32	3.57%
D.	3 people	26	2.90%
E.	4 people	14	1.56%
F.	5 people	5	0.56%
G.	6 or more people	17	1.90%
TOTALS		897	100.00%

Q -65 During the past 3 months, with how many people did you have sexual intercourse?

A.	I have never had sexual intercourse	714	80.59%
B.	I have had sexual intercourse, but not during the past 3 months	84	9.48%
C.	1 person	56	6.32%
D.	2 people	12	1.35%
E.	3 people	8	0.90%
F.	4 people	3	0.34%
G.	5 people	3	0.34%
H.	6 or more people	6	0.68%
TOTALS		886	100.00%

Q -66 Did you drink alcohol or use drugs before you had sexual intercourse the last time?

A.	I have never had sexual intercourse	711	79.62%
B.	Yes	40	4.48%
C.	No	142	15.90%
TOTALS		893	100.00%

Q -67 The last time you had sexual intercourse, did you or your partner use a condom?

A.	I have never had sexual intercourse	723	80.78%
B.	Yes	107	11.96%
C.	No	65	7.26%
TOTALS		895	100.00%

Q -68 How do you describe your weight?

A.	Very underweight	45	5.10%
B.	Slightly underweight	107	12.12%
C.	About the right weight	464	52.55%
D.	Slightly overweight	232	26.27%
E.	Very overweight	35	3.96%
TOTALS		883	100.00%

2013 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -69 Which of the following are you trying to do about your weight?

A.	Lose weight	433	48.60%
B.	Gain weight	98	11.00%
C.	Stay the same weight	180	20.20%
D.	I am not trying to do anything about my weight	180	20.20%
TOTALS		891	100.00%

Q -70 During the past 30 days, did you go without eating for 24 hours or more (also called fasting) to lose weight or to keep from gaining weight?

A.	Yes	132	14.86%
B.	No	756	85.14%
TOTALS		888	100.00%

Q -71 During the past 30 days, did you take any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight? (Do not count meal replacement products such as Slim Fast.)

A.	Yes	42	4.70%
B.	No	851	95.30%
TOTALS		893	100.00%

Q -72 During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?

A.	Yes	45	5.02%
B.	No	852	94.98%
TOTALS		897	100.00%

Q -73 During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice? (Do not count punch, Kool-Aid, sports drinks, or other fruit-flavored drinks.)

A.	I did not drink 100% fruit juice during the past 7 days	212	23.77%
B.	1 to 3 times during the past 7 days	315	35.31%
C.	4 to 6 times during the past 7 days	142	15.92%
D.	1 time per day	70	7.85%
E.	2 times per day	60	6.73%
F.	3 times per day	27	3.03%
G.	4 or more times per day	66	7.40%
TOTALS		892	100.00%

Q -74 During the past 7 days, how many times did you eat fruit? (Do not count fruit juice.)

A.	I did not eat fruit during the past 7 days	73	8.30%
B.	1 to 3 times during the past 7 days	254	28.86%
C.	4 to 6 times during the past 7 days	227	25.80%
D.	1 time per day	97	11.02%
E.	2 times per day	94	10.68%
F.	3 times per day	56	6.36%
G.	4 or more times per day	79	8.98%
TOTALS		880	100.00%

2013 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -75 During the past 7 days, how many times did you eat green salad?

A.	I did not eat green salad during the past 7 days	296	33.30%
B.	1 to 3 times during the past 7 days	354	39.82%
C.	4 to 6 times during the past 7 days	97	10.91%
D.	1 time per day	79	8.89%
E.	2 times per day	28	3.15%
F.	3 times per day	7	0.79%
G.	4 or more times per day	28	3.15%
TOTALS		889	100.00%

Q -76 During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite? (Do not count diet soda or diet pop.)

A.	I did not drink soda or pop during the past 7 days	190	21.49%
B.	1 to 3 times during the past 7 days	392	44.34%
C.	4 to 6 times during the past 7 days	141	15.95%
D.	1 time per day	63	7.13%
E.	2 times per day	34	3.85%
F.	3 times per day	30	3.39%
G.	4 or more times per day	34	3.85%
TOTALS		884	100.00%

Q -77 During the past 7 days, how many times did you drink a can, bottle, or glass of diet soda or pop, such as Diet Coke, Diet Pepsi, or Sprite Zero?

A.	I did not drink diet soda or pop during the past 7 days	627	70.93%
B.	1 to 3 times during the past 7 days	163	18.44%
C.	4 to 6 times during the past 7 days	32	3.62%
D.	1 time per day	25	2.83%
E.	2 times per day	13	1.47%
F.	3 times per day	7	0.79%
G.	4 or more times per day	17	1.92%
TOTALS		884	100.00%

Q -78 During the past 7 days, how many glasses of milk did you drink? (Count the milk you drank in a glass or cup, from a carton, or with cereal. Count the half pint of milk serve at school as equal to one glass.)

A.	I did not drink milk during the past 7 days	128	14.55%
B.	1 to 3 glasses during the past 7 days	180	20.45%
C.	4 to 6 glasses during the past 7 days	180	20.45%
D.	1 glass per day	111	12.61%
E.	2 glasses per day	116	13.18%
F.	3 glasses per day	69	7.84%
G.	4 or more glasses per day	96	10.91%
TOTALS		880	100.00%

2013 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -79 During the past 7 days, on how many days did you eat breakfast?

A.	0 days	117	13.33%
B.	1 day	70	7.97%
C.	2 days	71	8.09%
D.	3 days	63	7.18%
E.	4 days	56	6.38%
F.	5 days	54	6.15%
G.	6 days	65	7.40%
H.	7 days	382	43.51%
	TOTALS	878	100.00%

Q -80 During the past 30 days, how often did you go hungry because there was not enough food in your home?

A.	Never	578	66.59%
B.	Rarely	164	18.89%
C.	Sometimes	88	10.14%
D.	Most of the time	27	3.11%
E.	Always	11	1.27%
	TOTALS	868	100.00%

Q -81 During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? (Add up all the time you spent in any kind of physical activity that increased your heart rate and made you breathe hard some of the time.)

A.	0 days	88	10.05%
B.	1 day	61	6.96%
C.	2 days	76	8.68%
D.	3 days	83	9.47%
E.	4 days	85	9.70%
F.	5 days	118	13.47%
G.	6 days	64	7.31%
H.	7 days	301	34.36%
	TOTALS	876	100.00%

Q -82 On an average school day, how many hours do you watch TV?

A.	I do not watch TV on an average school day	133	15.18%
B.	Less than 1 hour per day	177	20.21%
C.	1 hour per day	135	15.41%
D.	2 hours per day	178	20.32%
E.	3 hours per day	116	13.24%
F.	4 hours per day	51	5.82%
G.	5 or more hours per day	86	9.82%
	TOTALS	876	100.00%

2013 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -83 On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work? (Count time spent on things such as Xbox, PlayStation, an iPod, an iPad or other tablet, a smartphone, YouTube, Facebook or other special networking tools, and the Internet.)

A.	I do not play video or computer games or use a computer for something that is not school work	131	15.07%
B.	Less than 1 hour per day	173	19.91%
C.	1 hour per day	132	15.19%
D.	2 hours per day	141	16.23%
E.	3 hours per day	100	11.51%
F.	4 hours per day	70	8.06%
G.	5 or more hours per day	122	14.04%
TOTALS		869	100.00%

Q -84 In an average week when you are in school, on how many days do you go to physical education (PE) classes?

A.	0 days	122	13.94%
B.	1 day	23	2.63%
C.	2 days	146	16.69%
D.	3 days	283	32.34%
E.	4 days	45	5.14%
F.	5 days	256	29.26%
TOTALS		875	100.00%

Q -85 During the past 12 months, on how many sports teams did you play? (Count any teams run by your school or community groups.)

A.	0 teams	275	31.65%
B.	1 team	201	23.13%
C.	2 teams	162	18.64%
D.	3 or more teams	231	26.58%
TOTALS		869	100.00%

Q -86 Have you ever been taught about AIDS or HIV infection in school?

A.	Yes	566	65.28%
B.	No	159	18.34%
C.	Not sure	142	16.38%
TOTALS		867	100.00%

Q -87 Has a doctor or nurse ever told you that you have asthma?

A.	Yes	178	20.39%
B.	No	602	68.96%
C.	Not sure	93	10.65%
TOTALS		873	100.00%

2013 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -88 During the past 12 months, how many times did you use an indoor tanning device such as a sunlamp, sunbed, or tanning booth? (Do not count getting a spray-on tan.)

A.	0 times	821	93.51%
B.	1 or 2 times	32	3.64%
C.	3 to 9 times	10	1.14%
D.	10 to 19 times	6	0.68%
E.	20 to 39 times	3	0.34%
F.	40 or more times	6	0.68%
TOTALS		878	100.00%

Q -89 During the past 12 months, did you receive help from a resource teacher, speech therapist or other special education teacher at school?

A.	Yes	213	24.54%
B.	No	655	75.46%
TOTALS		868	100.00%